

1 Bridging Unit: Algebra 1

Topic C: Factorising quadratics and simple cubics

Bridging to Ch1.4

Expressions such as $5x^2+x$, $2x^2+4$ and x^2+2x-1 are called **quadratics** and can sometimes be factorised into two linear factors. There are three types of quadratics to consider:

1. Quadratics of the form ax^2+bx have a common factor of x so can be factorised using a single bracket and removing the highest common factor of the two terms, e.g. $6x^2+8x=2x(3x+4)$
2. Quadratics of the form x^2+bx+c will sometimes factorise into two sets of brackets. You need to find two constants with a product of c and a sum of b, e.g. $x^2-3x+2=(x-2)(x-1)$ since $-2\times-1=2$ and $-2+-1=-3$
3. Quadratics of the form ax^2-c will factorise if a and c are square numbers. This is called the **difference of two squares**, e.g. $4x^2-9=(2x+9)(2x-9)$

Example 1

Factorise each of these quadratics.

a $9x^2+15x$ **b** $x^2+3x-10$ **c** x^2-16

a $9x^2+15x=3x(3x+5)$ — The highest common factor of $9x^2$ and $15x$ is $3x$

b $x^2+3x-10=(x+5)(x-2)$ — You need to find two constants with a product of -10 and a sum of 3: $5\times-2=-10$ and $5+-2=3$ so the constants are -2 and 5

c $x^2-16=(x+4)(x-4)$ — x^2 and 16 are both square numbers.

Try It 1

Factorise each of these quadratics.

a $14x^2-7x$ **b** x^2-5x+4 **c** x^2-25

MyMaths 1156, 1157, 1181, 1950, 1959, 1960 SEARCH

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

When factorising quadratics of the form ax^2+bx+c with $a \neq 1$, first split the bx term into two terms where the coefficients multiply to give the same value as $a \times c$

Example 2

Factorise each of these quadratics.

a $3x^2+11x+6$ **b** $2x^2-9x+10$

a $3x^2+11x+6 = 3x^2+9x+2x+6$

$= 3x(x+3)+2(x+3)$

$= (3x+2)(x+3)$

b $2x^2-9x+10 = 2x^2-4x-5x+10$

$= 2x(x-2)-5(x-2)$

$= (2x-5)(x-2)$

Split $11x$ into $9x+2x$ since $9 \times 2 = 18$ and $3 \times 6 = 18$

Factorise the first pair of terms and the second pair of terms.

Split $9x$ into $-4x-5x$ since $-4 \times -5 = 20$ and $2 \times 10 = 20$

Factorise the first pair of terms and the second pair of terms.

Try It 2

Factorise each of these quadratics.

a $5x^2+21x+4$ **b** $6x^2+7x-3$ **c** $8x^2-22x+5$

You can use the factors of ax^2+bx+c to find the roots of the **quadratic equation** $ax^2+bx+c=0$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

Example 3

Use factorisation to find the roots of these quadratic equations.

a $4x^2+12x=0$ **b** $5x^2=21x-4$

a $4x^2+12x=4x(x+3)$

$4x(x+3)=0 \Rightarrow 4x=0$ or $x+3=0$

If $4x=0$ then $x=0$ and if $x+3=0$ then $x=-3$

b $5x^2-21x+4=0$

$5x^2-21x+4=5x^2-20x-x+4$

$=5x(x-4)-(x-4)$

$=(5x-1)(x-4)$

$(5x-1)(x-4)=0 \Rightarrow 5x-1=0$ or $x-4=0$

If $5x-1=0$ then $x=\frac{1}{5}$ and if $x-4=0$ then $x=4$

- Factorise the quadratic.
- One of the factors must be equal to zero.
- Solve to find the roots.
- Rearrange so you have a quadratic expression equal to zero.
- Write $-21x=-x-20x$ since $-20\times-1=20$ and $5\times4=20$
- Factorise the quadratic.
- The product is zero so one of the factors must be equal to zero.
- Solve to find the roots.

Try It 3


Find the roots of these quadratic equations.

a $6x^2-12x=0$ **b** $4x^2=23x-15$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

A quadratic function has a **parabola** shaped curve.

When you sketch the graph of a quadratic function you must include the coordinates of the points where the curve crosses the x and y axes.



Example 4

Sketch these quadratic functions.

a $y = x^2 + x - 6$ **b** $y = -x^2 + 4x$

a When $x = 0$, $y = -6$

When $y = 0$, $x^2 + x - 6 = 0$

$x^2 + x - 6 = (x + 3)(x - 2)$


$(x + 3)(x - 2) = 0 \Rightarrow x = -3$ or $x = 2$


b When $x = 0$, $y = 0$

When $y = 0$, $-x^2 + 4x = 0$

$-x^2 + 4x = -x(x - 4)$

$-x(x - 4) = 0 \Rightarrow x = 0$ or $x = 4$





Find the y-intercept by letting $x = 0$

Find the x-intercept by letting $y = 0$

Factorise to find the roots.

Sketch the parabola and label the y-intercept of -6 and the x-intercepts of -3 and 2

Sketch the parabola, it will be this way up since the x^2 term in the quadratic is negative. Label the x and y intercepts.

Factorise to find the roots.

Try It 4

Sketch these quadratic functions.

a $y = x^2 - 25$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

b $y = x^2 + 10x + 25$

c $y = 5x - x^2$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

Bridging Exercise Topic C

Bridging to Ch1.4

1 Fully factorise each of these quadratics.

a $3x^2+5x$

b $8x^2-4x$

c $17x^2+34x$

d $18x^2-24x$

2 Factorise each of these quadratics.

a x^2+5x+6

b $x^2-7x+10$

c x^2-5x-6

d $x^2+3x-28$

e x^2-x-72

f $x^2+2x-48$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

g $x^2 - 12x + 11$

h $x^2 - 5x - 24$

3 Factorise each of these quadratics.

a $x^2 - 100$

b $x^2 - 81$

c $4x^2 - 9$

d $64 - 9x^2$

4 Factorise each of these quadratics.

a $3x^2 + 7x + 2$

b $6x^2 + 17x + 12$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

c $4x^2 - 13x + 3$

d $2x^2 - 7x - 15$

e $2x^2 + 3x - 5$

f $7x^2 + 25x - 12$

g $8x^2 - 22x + 15$

h $12x^2 + 17x - 5$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

5 Fully factorise each of these quadratics.

a $16x^2 - 25$

b $4x^2 - 16x$

c $x^2 + 13x + 12$

d $3x^2 + 16x - 35$

e $x^2 + x - 12$

f $100 - 9x^2$

g $2x^2 - 14x$

h $20x^2 - 3x - 2$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

6 Use factorisation to find the roots of these quadratic equations.

a $21x^2 - 7x = 0$

b $x^2 - 36 = 0$

c $17x^2 + 34x = 0$

d $6x^2 + 13x + 5 = 0$

e $4x^2 - 49 = 0$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

f $x^2 = 7x + 18$

g $x^2 - 7x + 6 = 0$

h $21x^2 = 2 - x$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

i $17x = 5x^2 + 6$

j $16x^2 + 24x + 9 = 0$

k $9x^2 + 4 = 12x$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

l $40x^2 + x = 6$

7 Sketch each of these quadratic functions, labelling where they cross the x and y axes.

a $y = x(x-3)$

b $y = -x(3x+2)$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

c $y = x(3-x)$

d $y = (x+2)(x-2)$

e $y = (x+4)^2$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

f $y = -(2x+5)^2$

g $y = (x-5)(x+2)$

h $y = (x+1)(5-x)$

© Oxford University Press 2018

8 Sketch each of these quadratic functions, labelling where they cross the x and y axes.

a $y = x^2 + 6x$

b $y = 3x^2 - 12x$

c $y = x^2 - 121$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

d $y = x^2 - 3x - 10$

e $y = -x^2 + 3x$

f $y = 15x - 10x^2$

© Oxford University Press 2018

g $y = 49 - x^2$

h $y = -x^2 + 2x + 3$

i $y = x^2 - 4x + 4$

© Oxford University Press 2018 Acknowledgements: **www.oxfordsecondary.co.uk/acknowledgements**

j $y = -x^2 + 14x - 49$

k $y = 3x^2 + 4x + 1$

l $y = -2x^2 + 11x - 12$

© Oxford University Press 2018